



GE Transportation

Freight, Fuel, & Emissions

Introduction to Engineering Design EDGSN 100 Section 002

Team Uno: *The Bleeding Frogs*

Britta Beleski (personal.psu.edu/bnb5252)

Joe Berg (personal.psu.edu/jv5632)

Kait Barkley (personal.psu.edu/krb5519)

David WU (personal.psu.edu/dww5372)




Presented to: Prof. Berezniak

Date: 12/12/15

Introduction

Objective: Find a cost effective, emission friendly, and realistic solution to transporting freight


Locomotive EPA emissions



Transportation Infrastructure Condition and Capacity

Pennsylvania's infrastructure is one of the worst in the nation, with bridges, inland waterways, and roads all classified as Ds.


ROADS



PA has a total of 41,000 miles of state highways and 79,000 local roads, 44% of which are rated fair to poor

Pa has the third highest number bridges in the country and the highest number of structurally deficient bridges, about 23%.

Reconstruction has begun!!



BRIDGES


WATERWAYS



PA inland waterway system given an overall grade of D+, only 18% of the bridges were "satisfactory" rating. Pittsburgh was the busiest port in the nation in 2012!!

Standard Capacity for Alternate Transportation Modes

- The typical cargo ship capacity ranges from 1,500 tons for a single barge and 2,250 tons for a 15 barge tow. An average transport truck may hold up to 26 tons, and the capacity of trains ranges from 100 tons for a single car to 10,500 tons for an 100 car unit.



Transportation Costs and Concept of Operations (ConOps)


Barges and Railroads have had decreases in cost or are already low cost, making them more cost efficient than trucks!

Method	Cost per Mile	Evaluations
Truck	\$1.68	Costs are increasing yearly, as well as road congestion and negative emission effects
Barge	\$0.97	Least costly, but do produce environmental issues due to emissions
Railroad	\$0.04	Cost per mile is drastically decreasing (43% less in last 30 years)

EPA Diesel Emission Standards


Year of original manufacture	Tier of standards	Standards (g/bhp-hr)			
		NO _x	PM	HC	CO
1973-1992 ^a	Tier 0 ^b	8.0	0.22	1.00	5.0
1993 ^a -2004	Tier 1 ^b	7.4	0.22	0.55	2.2
2005-2011	Tier 2 ^b	5.5	0.10	0.30	1.5
2012-2014	Tier 3 ^c	5.5	0.10	0.30	1.5
2015 or later	Tier 4 ^d	1.3	0.03	0.14	1.5

Locomotive EPA emissions




Diesel Engine Exhaust Emissions (DEEE)


Emissions chemistry



- NO_x (NO + NO₂) is formed when air (oxygen and nitrogen) is heated
- NO_x formation is exponential with temperature
 - Higher T → much higher NO_x
 - More time at T → much higher NO_x



- PM - not a single substance - anything collected on test filter
- Delicate balance of compression, oil control & wear management




$C_{in} = C_{out}$, fuel consumption and CO₂ production are directly related

- CO₂ is formed in direct proportional to fuel consumed
 - Reduce fuel consumption → reduce CO₂
 - Increase fuel consumption → increase CO₂

Locomotive Fleet Upgrade

- Upgrade from Tier 2 to TIER 4!!!!!!
- Get 2 barges for MAXIMUM CAPACITY!!!
- Sell the Tier 2 locomotives



Summary

We chose an environmental friendly solution that will hold for a long time

- **Sell Tier 2**
- **Buy Tier 4**
- **Get 2 barges (Capacity)**
- **Get money (\$\$\$)**



Closing



Thanks for an awesome
class Prof. B!!!!!!!!!!!!!!

