WINDOW SCHEDULE

MARK	SIZE		TYPE	MATL	GLZ	FIRE RATING	DETAIL					NOTES
	WIDTH	HEIGHT					HEAD	JAMB	SILL	HORIZ MULL	VERT MULL	
1	3'0"	3'0"	Double Hung	Wood	Double	1 hr						
2	1'0"	5'0"	Fixed	Metal	Single	1/2 hr						
3	6'0"	3'0"	Horizontal Slider	Metal	Double	1 hr						

DOOR AND FRAME SCHEDULE

MARK	DOOR								FRAME						FIRE RATING LABEL	HARDWARE		NOTES
	SIZE			MATL	EL	GLZ	LOUVER		MATL	EL	GLZ	DETAIL				SET NO	KEYSIDE RM NO	
	W	HT	THK				W	HT				HEAD	JAMB	SILL				
001A	3'-0"	7'-0"	2"	WOOD			—	—	WOOD									
002B	3'-0"	7'-0"	2"	GLS		½"DBL. (INS.)	—	—	WOOD									
100S	3'-0"	7'-0"	2"	SSTL			—	—	STL									
107L	3'-0"	7'-0"	2"	WOOD			—	—	STL									
108A	3'-0"	7'-0"	2"	WOOD			—	—	WOOD									
108B	2'-8"	7'-0"	2"	SSTL			—	—	STL									
109A	3'-0"	7'-0"	2"	WOOD			—	—	WOOD									
109B	3'-0"	7'-0"	2"	WOOD			—	—	STL									
110A	3'-0"	7'-0"	2"	WOOD			—	—	WOOD									
110B	3'-0"	7'-0"	2"	SSTL			—	—	STL									
111A	3'-0"	7'-0"	2"	WOOD			—	—	WOOD									
112A	3'-0"	7'-0"	2"	WOOD			—	—	WOOD									
113A	3'-0"	7'-0"	2"	WOOD			—	—	WOOD									
117L	3'-0"	7'-0"	2"	GLS		½"DBL. (INS.)	—	—	ALUM									
TYP1	3'-0"	7'-0"	2"	WOOD			—	—	WOOD									
TYP2	3'-0"	7'-0"	2"	WOOD			—	—	WOOD									
TCL1	3'-0"	7'-0"	1.5"	WOOD			—	—	WOOD									
TCL2	3'-0"	7'-0"	1.5"	WOOD			—	—	WOOD									

Apt Separation Wall (798)

Design No. U323
Bearing Wall Rating — 1 HR.
Finish Rating — 20 Min.



Duct Shaft (817)

Design No. U409
Nonbearing Wall Rating — 1 HR.



Elevator Shaft (903)

Design No. U929
Nonbearing Wall Rating — 1 Hr.



Corridor (903)

Design No. U928
Bearing Wall Rating—2 Hr



Stairwell and Mechanical Room (898)

Design No. U905
Bearing Wall Rating — 2 HR.
Nonbearing Wall Rating — 2 HR